AUTOMATIC HOSE GUIDE


No. 223-BA

"M-Arte": art in action

ADVANCED FLUID MANAGEMENT SOLUTIONS



- IN AISI 316 STAINLESS STEEL
- IN PAINTED STEEL


HELP THE ENVIRONMENT
Depending on the item, the packaging may contain one or more of the following materials - to be recycled according to local municipal or state regulations.
cardboard • polyethylene bag • polystyrene
paper • wood • nails • plastic straps
cellophane • paper clips • gummed paper

ADVANCED FLUID MANAGEMENT SOLUTIONS



DESIGN IS

Art



ADVANCED FLUID
MANAGEMENT SOLUTIONS

AUTOMATIC
HOSE GUIDE “M-ARTE”

STRENGTH POINTS


- Designed to move independently while rewinding the hose.
- Equipped with rollers, horizontal and vertical, that can be adjusted to the hose being used.
- Easy to assemble on both new hose reels and on equipment already in use.
- Designed with a security system which ensure the maximum protection to the operator also in case of distraction or hose accidental release.
- Available in AISI 316 stainless steel for corrosive atmospheres environments uses.

TECHNICAL
CHARACTERISTICS


Visit our website

HOSE GUIDE
with security system and customizable rollers

For hose ≥ ø 1/2”




For hose ≤ ø 1/2”



BELT DRIVE TRANSMISSION GROUP

TIGHTENER PIN



GUIDE PIN

HOSE GUIDE MOVEMENT TRANSMISSION SYSTEM

PROTECTIVE COVER

“M-ARTE” AUTOMATIC HOSE GUIDE IN PAINTED STEEL




The new automatic hose guide “M-Arte” guarantees correct arrangement of the hose on the drum, thus preventing haphazard rewinding.

P/N	Series	Material	Hose
77/44312	**s. 430**	painted steel	≤ 1/2”
77/44601	**s. 436**	painted steel	3/4” ÷ 1”
77/44612	**s. 436**	painted steel	≤ 1/2”
77/45301	**s. 530**	painted steel	≤ 1”
77/45312	**s. 530**	painted steel	≤ 1/2”
77/45401	**s. 540**	painted steel	≤ 3/4”
77/45402	**s. 540**	painted steel	1”
77/45412	**s. 540**	painted steel	≤ 1/2”
77/45601	**s. 560**	painted steel	≤ 3/4”
77/45602	**s. 560**	painted steel	1”
77/45612	**s. 560**	painted steel	≤ 1/2”

⚠ The hose reel equipped with automatic hose guide is not suitable for installation in potentially explosive atmosphere.

Overall dimensions (mm)



Series	A	B	C	D	E	F	Packaging (mm) W x D x H
430	319	284	135	389	209	172	380 x 120 x 150
530	375	341	137	458	223	187	370 x 135 x 370
540	375	341	137	458	288	252	370 x 135 x 370
560	375	341	137	458	472	436	200 x 130 x 510

(W: width - D: depth - H: height)

“M-ARTE” AUTOMATIC HOSE GUIDE IN AISI 316 STAINLESS STEEL




The new automatic hose guide “M-Arte” guarantees correct arrangement of the hose on the drum, thus preventing haphazard rewinding. AISI 316 stainless steel version allows the installation and the use in corrosive atmosphere enviroments too.

P/N	Series	Material	Hose
79/44312	**s. 430**	AISI 316 stainless steel	≤ 1/2”
79/45301	**s. 530**	AISI 316 stainless steel	≤ 1”
79/45312	**s. 530**	AISI 316 stainless steel	≤ 1/2”
79/45401	**s. 540**	AISI 316 stainless steel	≤ 3/4”
79/45402	**s. 540**	AISI 316 stainless steel	1”
79/45412	**s. 540**	AISI 316 stainless steel	≤ 1/2”
79/45601	**s. 560**	AISI 316 stainless steel	≤ 3/4”
79/45602	**s. 560**	AISI 316 stainless steel	1”
79/45612	**s. 560**	AISI 316 stainless steel	≤ 1/2”

⚠ The hose reel equipped with automatic hose guide is not suitable for installation in potentially explosive atmosphere.

Overall dimensions (mm)



Series	A	B	C	D	E	F	**Packaging** (mm) W x D x H
430	319	284	135	389	209	172	380 x 120 x 150
530	375	341	137	458	223	187	370 x 135 x 370
540	375	341	137	458	288	252	370 x 135 x 370
560	375	341	137	458	472	436	200 x 130 x 510

(W: width - D: depth - H: height)



Technology

The research and development of cutting-edge solutions, carried out entirely **in Italy,** is the starting point for the entire production cycle.



Quality

Offering high-quality products is one of our main objectives. Specific and rigorous tests accompany every single stage of the production process.



Efficiency

RAASM offers a complete range of fluid management solutions suitable for many different sectors of use. Our success is founded on the ability to identify and satisfy the specific needs of our customers.



Company with quality and environment system according to ISO 9001:2015 and ISO 14001:2015 standards

RAASM S.p.A.
36022 S. ZENO DI CASSOLA (VI)
Via Marangoni, 33 - ITALY

Export department
Tel. +39 0424 571130 - Fax +39 0424 571135

Technical department
Tel. +39 0424 571150 - Fax +39 0424 571155

info@raasm.com - www.raasm.com

Authorized dealer

All rights reserved by Raasm S.p.A.

GB WRV223BA-GB